



# B STRIP

for exterior





FOR EXTERIOR

# B STRIP


## FOR EXTERIOR

A linear strip with rounded edges, suitable for exterior and easy to install, made with passion and the best materials such as aluminium or steel, it is suitable for false ceilings on canopies or porches.


### Technical characteristics

Normativa Europea:	CE EN 13964
Durability:	Class B
Fire resistance:	A1
Sound absorption:	EN ISO 354
Standard colour:	• Silver • White • AISI • Post-painted
Finish:	Smooth
Standard material:	Alluminium (3000H46 / 1050AH) Galvanized steel (DX51DZ)
Standard thickness:	Alluminium 0,5 - 0,6 - 0,8 mm Steel 0,4 - 0,5 - 0,6 mm
Standard dimension:	B100      100x18 mm B150      150x18 mm B200      200x18 mm

### Finish



Smooth



### Strips incidence and suitable carriers

Strip type	Pitch	Strips m/m <sup>2</sup>	Suitable carrier	Carrier m/m <sup>2</sup>	Suspension pcs/m <sup>2</sup>
B100	100	10,0	TR3	1,00	1,11
B150	150	6,67	TR3	1,00	1,11
B200	200	5,0	TR3	1,00	1,11


### Maximum wheelbase and overhang advised

	A	B	C	D
With insulation*	800	800	300	300
Without insulation	900	1000	400	400

\* 3 cm thick sound-absorbing mat of glass wool, rock wool or polyester

### B strip for exterior with rigid suspension

Click-in mounting



\* System available with **B100, B150** and **B200** strips

